

bp Dec 13-20 1994.log

RCS file: /p/cvsroot/c\_tests/plumhall/conform.exp,v  
Working file: c\_tests/plumhall/conform.exp  
head: 1.13  
branch:  
locks: strict  
access list:  
symbolic names:

plumhall: 1.1.1.2  
plumhall5\_0: 1.1.1.1  
PlumHall: 1.1.1

keyword substitution: kv  
total revisions: 15; selected revisions: 1  
description:

-----  
revision 1.9  
date: 1994/12/13 17:21:01; author: claseman; state: Exp; lines: +1 -1  
Make expected results consistent with one another.  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/run\_bltns,v  
Working file: c\_tests/tcc\_builtins/run\_bltns  
head: 1.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/14 19:41:47; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/run\_opt\_bltns,v  
Working file: c\_tests/tcc\_builtins/run\_opt\_bltns  
head: 1.6  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/14 19:42:38; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_g4mux.s,v  
Working file: c\_tests/tcc\_builtins/src/\_g4mux.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

bp Dec 13-20 1994.log

revision 1.1  
date: 1994/12/15 19:20:07; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_g8mux.s,v  
working file: c\_tests/tcc\_builtins/src/\_g8mux.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1994/12/15 19:20:10; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gdepi2.s,v  
working file: c\_tests/tcc\_builtins/src/\_gdepi2.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1994/12/16 18:40:29; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_ggfmu18.s,v  
working file: c\_tests/tcc\_builtins/src/\_ggfmu18.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

---

revision 1.1  
date: 1994/12/15 19:20:12; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/Attic/\_gmdepi.s,v  
working file: c\_tests/tcc\_builtins/src/\_gmdepi.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

bp Dec 13-20 1994.log

-----  
revision 1.1  
date: 1994/12/16 18:40:31; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gmdepi2.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gmdepi2.s  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1994/12/16 18:40:33; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gmux.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gmux.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1994/12/15 19:20:14; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gselect8.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gselect8.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1994/12/15 19:20:16; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gshufflei4mux.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gshufflei4mux.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1

bp Dec 13-20 1994.log

description:

-----  
revision 1.1  
date: 1994/12/15 19:20:18; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gtranspose8mux.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gtranspose8mux.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/15 19:20:20; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/Attic/\_gudepi.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gudepi.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:35; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gudepi2.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gudepi2.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:37; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/Attic/\_guwthi.s,v  
Working file: c\_tests/tcc\_builtins/src/\_guwthi.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

bp Dec 13-20 1994.log

total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:39; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_guwthi16.s,v  
working file: c\_tests/tcc\_builtins/src/\_guwthi16.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:40; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_guwthi2.s,v  
working file: c\_tests/tcc\_builtins/src/\_guwthi2.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:42; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_guwthi32.s,v  
working file: c\_tests/tcc\_builtins/src/\_guwthi32.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:44; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_guwthi4.s,v  
working file: c\_tests/tcc\_builtins/src/\_guwthi4.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:

bp Dec 13-20 1994.log

keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:46; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_guwthi64.s,v  
working file: c\_tests/tcc\_builtins/src/\_guwthi64.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:47; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_guwthi8.s,v  
working file: c\_tests/tcc\_builtins/src/\_guwthi8.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:49; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/Attic/\_gwthi.s,v  
working file: c\_tests/tcc\_builtins/src/\_gwthi.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:51; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gwthi16.s,v  
working file: c\_tests/tcc\_builtins/src/\_gwthi16.s  
head: 1.1  
branch:  
locks: strict  
access list:

bp Dec 13-20 1994.log

symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:53; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gwthi2.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gwthi2.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:55; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gwthi32.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gwthi32.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:56; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gwthi4.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gwthi4.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:59; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gwthi64.s,v  
Working file: c\_tests/tcc\_builtins/src/\_gwthi64.s  
head: 1.1  
branch:  
locks: strict

bp Dec 13-20 1994.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:41:00; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/\_gwthi8.s,v  
working file: c\_tests/tcc\_builtins/src/\_gwthi8.s  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:41:02; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/g4mux.c,v  
working file: c\_tests/tcc\_builtins/src/g4mux.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/15 19:20:23; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/g8mux.c,v  
working file: c\_tests/tcc\_builtins/src/g8mux.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/15 19:20:26; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gdepi2.c,v  
working file: c\_tests/tcc\_builtins/src/gdepi2.c  
head: 1.1  
branch:



bp Dec 13-20 1994.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:39:52; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/ggfmul8.c,v  
Working file: c\_tests/tcc\_builtins/src/ggfmul8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/15 19:20:28; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/Attic/gmdepi.c,v  
Working file: c\_tests/tcc\_builtins/src/gmdepi.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:39:54; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gmdepi2.c,v  
Working file: c\_tests/tcc\_builtins/src/gmdepi2.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:39:56; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gmux.c,v  
Working file: c\_tests/tcc\_builtins/src/gmux.c  
head: 1.1

bp Dec 13-20 1994.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/15 19:20:30; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gselect8.c,v  
Working file: c\_tests/tcc\_builtins/src/gselect8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/15 19:20:32; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gshufflei4mux.c,v  
Working file: c\_tests/tcc\_builtins/src/gshufflei4mux.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/15 19:20:34; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gtranspose8mux.c,v  
Working file: c\_tests/tcc\_builtins/src/gtranspose8mux.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/15 19:20:36; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/Attic/gudepi.c,v  
Working file: c\_tests/tcc\_builtins/src/gudepi.c

bp Dec 13-20 1994.log

head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:39:58; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gudepi2.c,v  
Working file: c\_tests/tcc\_builtins/src/gudepi2.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:40:00; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/Attic/guwthi.c,v  
Working file: c\_tests/tcc\_builtins/src/guwthi.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:40:02; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/guwthi16.c,v  
Working file: c\_tests/tcc\_builtins/src/guwthi16.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:40:04; author: claseman; state: Exp;  
initial revision

---

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/guwthi2.c,v

bp Dec 13-20 1994.log  
Working file: c\_tests/tcc\_builtins/src/guwthi2.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:40:06; author: claseman; state: Exp;  
initial revision

=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/guwthi32.c,v  
Working file: c\_tests/tcc\_builtins/src/guwthi32.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:40:08; author: claseman; state: Exp;  
initial revision

=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/guwthi4.c,v  
Working file: c\_tests/tcc\_builtins/src/guwthi4.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:40:11; author: claseman; state: Exp;  
initial revision

=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/guwthi64.c,v  
Working file: c\_tests/tcc\_builtins/src/guwthi64.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1994/12/16 18:40:13; author: claseman; state: Exp;  
initial revision

=====

bp Dec 13-20 1994.log

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gwthi8.c,v

Working file: c\_tests/tcc\_builtins/src/gwthi8.c

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 1.1

date: 1994/12/16 18:40:15; author: claseman; state: Exp;

initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/Attic/gwthi.c,v

Working file: c\_tests/tcc\_builtins/src/gwthi.c

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 1.1

date: 1994/12/16 18:40:17; author: claseman; state: Exp;

initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gwthi16.c,v

Working file: c\_tests/tcc\_builtins/src/gwthi16.c

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 1.1

date: 1994/12/16 18:40:18; author: claseman; state: Exp;

initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gwthi2.c,v

Working file: c\_tests/tcc\_builtins/src/gwthi2.c

head: 1.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 1.1

date: 1994/12/16 18:40:20; author: claseman; state: Exp;

initial revision  
=====

bp Dec 13-20 1994.log

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gwthi32.c,v  
working file: c\_tests/tcc\_builtins/src/gwthi32.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:22; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gwthi4.c,v  
working file: c\_tests/tcc\_builtins/src/gwthi4.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:24; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gwthi64.c,v  
working file: c\_tests/tcc\_builtins/src/gwthi64.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:26; author: claseman; state: Exp;  
initial revision  
=====

RCS file: /p/cvsroot/c\_tests/tcc\_builtins/src/gwthi8.c,v  
working file: c\_tests/tcc\_builtins/src/gwthi8.c  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1994/12/16 18:40:28; author: claseman; state: Exp;  
initial revision

bp Dec 13-20 1994.log

---